This listing of the claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

(Currently Amended) A kit of instruments to aid the fixing of dental implants that include a plurality of atraumatic bone osteotomes of progressive diameters.

engageable to a motor-driven connector or a manual-drive connector,

[[-]] wherein the osteotomes (4A, 4B, 4C, 4D) each have an apical end

(10) followed by a threaded conical section (9) and a threaded cylindrical section (8),

with the threaded cylindrical section capped by an adjustment area (7) in which

connectors (14, 17) are engaged,

[[-]] wherein the kit of instruments each comprise a starter drill (1) for

piercing the hardest outer layer of a bone during oral surgery before using one or more

osteotomes, the starter drill (1) having a quadrangular-section drilling end that is smaller

in section than the osteotomes, and an end (6) for engagement to a surgical motor,

[[-]] wherein the kit of instruments also includes at least two additional

drills (2, 3) of different diameters that have ends for connection to a surgical motor, and

which are used alternatively with the osteotomes, and osteotomes;

[[-]] wherein the connectors of the kit of instruments are either a first

connector (14) for the motor-driven operation or a second connector (17) for the

manual-drive operation of the osteotomes which has a different cross-sectional shape

than that of the first connector;

- 4 -

wherein the adjustment area (7) of the osteotomes have a polygonal-section projection (13), which is capped by a cylindrical projecting section that <u>includes</u> a circular recess in which an O-ring seal (11) is housed; and

wherein both the first connector and the second connector (14, 17) each have an end having a blind axial recess (12) with a polygonal section in which is engaged the polygonal-section projection (13) of the osteotomes and the O-ring seal (11) that retain the connectors.

- 2-3. (Canceled)
- 4. (Previously Presented) The kit of instruments to aid the fixing of dental implants according to claim 1, wherein the first connector (14) has an extension for its connection to the surgical motor.
- 5. (Previously Presented) The kit of instruments to aid the fixing of dental implants according to claim 4, wherein the second connector (17) has a coupling area (15) for connection to a ratchet wrench that has a shape different than the extension on the first connector.
 - 6. 17. (Cancelled)
 - 18. (Previously Presented) A rotary osteotome for widening of a dental implant site comprising:

an elongated body having an apical end followed by a threaded conical section and a threaded cylindrical section, with the threaded cylindrical section capped by an adjustment area in which a drive connector is configured to be engaged.

Appln. No. 10/526,187 Amdt. dated September 17, 2009

Reply to Office action of May 17, 2009

19. (Previously Presented) A rotary osteotome for widening of a dental implant site as claimed in claim 18, further comprising:

the adjustment area having a polygonal section projection capped by a cylindrical projection section that includes a circular recess, and an O-ring seal housed in the recess.

20. (Currently Amended) In combination a rotary A rotary osteotome for widening of a dental implant site as claimed in claim 19, and a drive connector further comprising wherein:

the drivea drive-connector for engagingengages with the adjustment area of the osteotome, the connector having an end with a blind axial recess therein, the recess having a polygonal cross section of a shape complementary to the polygonal section projection of the adjustment area, and the O-ring engageable with an inside surface of the recess of the drive connector,

wherein the drive connector is releasably engaged with the adjustment area and configured to be driven to rotate the osteotome.

21. (Canceled)

22. (Currently Amended) A starter drill (1) for piercing the hardest outer layer of a bone during oral surgery before using one or more osteotomes for preparing a cavity for a dental implant, the starter drill having a quadrangular-section drilling end that is smaller small in section than the osteotomes, and an end (6) for engagement to a surgical motor.